

## 6000 Series Operation

(Rev. 1.00)

Trainee (受講者)	
Company (会社名)	

Period (期間)	
Trainer (トレーナー)	

Module (モジュール)	Page (ページ)	Machine Manual (装置マニュアル)			Sign-off (サインオフ欄)		
		Type (種別)	Chapter (章)	Section (セクション)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
<b>Day 1</b>							
<b>1. Machine Components</b>							
1.1. Interpret the Operation Panel Screen Constituents	1	OPE	A	1. Screen Constituents			
1.2. Interpret the Software Keyboard	7	OPE	A	2. Software Keyboard			
<b>2. Start-up and Termination of the Machine</b>							
2.1. Start up the Machine	17	OPE	B	B. OPERATION			
	19	OPE	B	1. Starting Up the Machine			
	20	OPE	B	1-1. Opening Stopcocks of Air, Clean Air, Water and Shut and Turning ON the Power of the Plant Facility			
	22	OPE	B	1-2. Turning the Power ON			
	27	OPE	B	1-3. Checking Supply Pressure of Air, Clean Air and Cutting Water			
2.2. Execute the System Initialization	28	OPE	B	1-4. Executing Initialization			
2.3. Execute the Warming Up	30	OPE	B	1-5. Executing Warming Up (Idling)			
2.4. Execute the Setup	38	OPE	B	7. Setup			
2.5. Terminate the Machine	53	OPE	B	10. Terminating the Machine			
<b>3. Full Automation Operation</b>							
3.1. Interpret the Workpiece Process Flow during Full Automation	61	OTH	---	---			
3.2. Set the Cassette	64	OPE	B	2-3. Setting a Cassette			
3.3. Operate the Device Data Operation Screens	67	DAT	B	1-5-1. DEVICE DATA LIST Screen [3.0]			
	70	DAT	B	1-5-2. Entering the DATA PASSWORD			
3.4. Interpret the Precautions and the Operation Flow of Full Automation	71	OPE	B	2. Full Automation Operation			
3.5. Verify the Device Data	73	OPE	B	2-2. Verification of Device Data			
3.6. Execute the Single Device Full Automation	76	OPE	B	2-1. Preparation of Operation			
	77	OPE	B	2-4-1. Single Device Full Automation			
3.7. Resume the Cutting Operation after Aborting Full Automation	87	OPE	B	2-7. Resuming Cutting after Aborting Full Automation			
3.8. Execute the Multiple Device Full Automation	90	OPE	B	2-4-2. Multiple Device Full Automation			
3.9. Interpret the Inspection Function	101	OPE	B	2-6. Inspection Function			
3.10. Execute the Auto Inspection	101	OPE	B	2-6-1. Automatic Inspection			
3.11. Execute the Designated Inspection	109	OPE	B	2-6-2. Designated Inspection			
3.12. Remove the Workpiece under Inspection	114	OPE	B	2-6-3. Removing the Workpiece under Inspection			
<b>4. Making Corrections during Full Automation Operation</b>							
4.1. Interpret the Correctable Items during Full Automation	116	OTH	---	---			
4.2. Adjust the Light Intensity and Microscope Focus	119	OPE	B	2-5-1-2. Adjusting Light Intensity and Microscope Focus			
4.3. Correct the Hairline Alignment	121	OPE	B	2-5-1. Correcting Hairline Alignment			
	122	OPE	B	2-5-1-1. Suspending Full Automation Operation			
	123	OPE	B	2-5-1-3. Hairline Alignment Correction for Z1-Axis Cut			
	125	OPE	B	2-5-1-4. Hairline Alignment Correction for Z2-Axis Cut			
	129	OPE	B	2-5-1-5. Hairline Alignment Correction for Dual Cut or Step Cut(Z1/Z2-Axis Cut)			
	135	OPE	B	2-5-1-6. What to Do after Correcting Hairline Alignment			

Module (モジュール)	Page (ページ)	Machine Manual (装置マニュアル)			Sign-off (サインオフ欄)		
		Type (種別)	Chapter (章)	Section (セクション)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
4.4. Correct the Cutting Position	137	OPE	B	2-5-2. Correcting Cutting Position			
	138	OPE	B	2-5-2-1. Suspending Full Automation Operation			
	139	OPE	B	2-5-2-3. Executing Correction of Cutting Position			
	141	OPE	B	2-5-2-4. What to Do after Correcting Cutting Position			
4.5. Change the Feed Speed	142	OPE	B	2-5-3. Changing Feed Speed			
4.6. Correct the Blade Height	144	OPE	B	2-5-4. Correcting Blade Height			
<b>5. Manual Operation</b>							
5.1. Interpret the Operation Modes and Each Function	146	OTH	---	---			
5.2. Interpret the Outline of Manual Workpiece Transfer	147	OPE	B	3. Manual Operation			
	148	OPE	B	3-1. Outline of Manual Operation			
	153	OPE	B	3-2. Calling Up MANUAL OPERATION Screen			
5.3. Execute the Loading	154	OPE	B	3-3-1. Executing Loading			
5.4. Move the Workpiece from Chuck Table to Spinner Table	158	OPE	B	3-3-5. Executing Move Workpiece C/T → S/T			
5.5. Execute the Cleaning	159	OPE	B	3-3-6. Executing Cleaning			
5.6. Execute the Unloading	161	OPE	B	3-3-7. Executing Unloading			
5.7. Unload All Workpieces	163	OPE	B	3-3-8. Executing Unloading All Workpiece			
5.8. Execute the Manual Alignment	165	OPE	B	4-2. Manual Alignment			
5.9. Execute the Auto Alignment	179	OPE	B	4-1. Automatic Alignment			
5.10. Execute the Auto Cut	184	OPE	B	3-3-3. Automatic Cutting			
5.11. Execute the Semi-auto Cut	195	OPE	B	3-3-4. Semi-Automatic Cutting			
<b>Day 2</b>							
<b>6. Device Data</b>							
6.1. Copy the Device Data	206	DAT	B	1-5-3. DEVICE DATA COPY Screen [3.2]			
6.2. Move the Device Data	211	DAT	B	1-5-4. DEVICE DATA MOVE Screen [3.3]			
6.3. Rename the Device Data	214	DAT	B	1-5-5. DEVICE DATA RENAME Screen [3.4]			
6.4. Delete the Device Data	216	DAT	B	1-5-6. DEVICE DATA DELETE Screen [3.5]			
6.5. Create the Device Data	218	OTH	---	---			
6.6. Interpret the Detail of Cutting Function	227	DAT	B	1-6-1. DEVICE DATA Screen [3.1.2]			
	231	DAT	B	2-1-2. Cutting Mode			
6.7. Set the Process Control Table	236	DAT	B	1-6-9. PROCESS CONTROL TABLE Screen [3.1.6]			
6.8. Interpret the Alignment Data	242	DAT	B	1-6-3. ALIGNMENT DATA Screen [3.1.3]			
	248	DAT	B	1-6-4. ALIGNMENT DATA 2 Screen [3.1.3.2]			
	250	DAT	B	1-6-5. ALIGNMENT SPECIAL DATA screen [3.1.3.3]			
6.9. Interpret the Cleaning Data	254	DAT	B	1-6-6. CLEANING DATA Screen [3.1.4]			
	257	DAT	B	1-6-7. CUSTOM CLEANING PROGRAM Screen [3.1.4.4]			
	258	DAT	B	5-4-8. COMMON CLEANING DATA Screen [5.3.9]			
6.10. Interpret the Water Program Maintenance Function Setting	264	DAT	B	5-4-7. WATER PROGRAM DATA MAINTENANCE Screen [5.3.5]			
6.11. Interpret the Auto-down Function	271	DAT	B	2-1-3-1. Z-Axis Auto-Down (Blade Wear Compensation)			
6.12. Set the Auto-setup Data	274	DAT	B	4-5. Setting the Auto-Setup Data			
6.13. Interpret the Purpose and the Data Setting for Precut Function	275	DAT	B	5-2. Precut Data Maintenance			
	287	DAT	B	1-6-10. PRECUT PROCESS Screen [5.1.*]			

Module (モジュール)	Page (ページ)	Machine Manual (装置マニュアル)			Sign-off (サインオフ欄)		
		Type (種別)	Chapter (章)	Section (セクション)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
6.14. Set the Data of Kerf Check Function	291	DAT	B	1-3-3. KERF CHECK DATA Screen (During Stop Correction)			
	309	DAT	B	1-3-4. Kerf-check-result Related Screens			
	312	DAT	B	1-6-11. KERF CHECK DATA EASY SETTING Screen [3.1.8]			
	314	DAT	B	1-6-12. KERF CHECK DATA Screen [3.1.8.2]			
	322	DAT	B	1-6-13. KERF CHECK DATA 2 Screen [3.1.8.3]			
	329	DAT	B	1-6-14. KERF CHECK DATA 3 Screen [3.1.8.4]			
6.15. Interpret the Usage of Sub Index Data	332	DAT	B	1-6-8. SUB INDEX DATA Screen [3.1.5]			
	334	DAT	B	2-3. Points to Note of Sub-Index Data Input			
6.16. Edit the Device Data for Multiple Index Workpiece	344	DAT	B	2-2-2-1. Illustration Of Device Data <Example 2>			
	345	DAT	B	2-2-2-2. Cutting Conditions <Example 2>			
<b>Day 3</b>							
<b>7. Blade Maintenance</b>							
7.1. Interpret the Operation Flow of Blade Maintenance	350	OPE	B	6. Blade Maintenance			
7.2. Replace the Blade	352	OPE	B	6-1. Preparation for Blade Replacement			
	354	OPE	B	6-2. Replacement of Blades			
7.3. Set the Data for a New Blade	379	OPE	B	6-3-1. Data Setting for a New Blade			
7.4. Set the Data for a Used Blade	382	OPE	B	6-3-2. Data Setting for a Used Blade			
7.5. Adjust the Blade Breakage Detector	385	OPE	B	6-4. Adjusting the Blade Breakage Detector			
7.6. Interpret the Setup Function	388	OPE	B	7. Setup			
7.7. Set the Setup Data	390	DAT	B	4. Setup Data			
7.8. Execute the Contact Setup	405	OPE	B	7-2-1. Executing Chuck Table Setup			
7.9. Execute the Non-contact Setup	408	OPE	B	7-2-2. Executing Non-Contact Setup [Optional Accessory]			
7.10. Execute the Sensor Calibration Setup	411	OPE	B	7-2-3. Executing Sensor Calibration Setup [Optional Accessory]			
7.11. Execute the Dress Cutting	414	OPE	B	5. Blade Dressing Operation			
7.12. Correct the Hairline Alignment	431	OPE	B	6-6. Correcting Hairline Alignment			
<b>8. Alignment Teach</b>							
8.1. Use the Measure Function	450	DAT	B	5-3. Measure Function			
8.2. Execute the Alignment Teach	453	DAT	B	3. Teach			
8.3. Interpret a Summary of the Alignment Target Selection	486	OTH	---	---			
8.4. Execute the Process Control Table Running (Except for Cutting)	522	OPE	B	3-3-9. Executing Process Control Table Running(Except for Cutting)			
<b>9. Appendix</b>							
9.1 (Appendix) Interpret the Errors during Transport	524	OPE	C	C. ERROR RECOVERY			
	526	OPE	C	1. Errors during Transport			
9.2 (Appendix) Interpret the Errors during Cutting	543	OPE	C	2. Errors during Cutting			
9.3 (Appendix) Interpret the Errors of the Covers	551	OPE	C	3. Interlock Errors of the Covers			
9.4 (Appendix) Interpret the Errors during Setup	555	OPE	C	4. Errors during Setup			
9.5 (Appendix) Interpret the Errors during Alignment	580	OPE	C	5. Errors during Alignment			
9.6 (Appendix) Interpret the Errors during Spinner Cleaning	601	OPE	C	6. Errors during Spinner Cleaning			
9.7 (Appendix) Interpret the Errors during Kerf Check	609	OPE	C	7. Errors during Kerf Check			
9.8 (Appendix) Interpret the Blade Breakage Detector Errors	617	OPE	C	8. Blade Breakage Detector Errors			
9.9 (Appendix) Interpret the Errors Related to Supply Utility	636	OPE	C	9. Errors Related to Supply Utility			
9.10 (Appendix) Interpret the Errors during UV Irradiation	645	OPE	C	10. Errors during UV Irradiation (When Optional Accessory Function Is Used)			
9.11 (Appendix) Interpret Other Errors	651	OPE	C	11. Other Errors			

**Course composition, intended trainees and course objective**

Course Name	Intended Trainees		Course Objective
Operation	<ul style="list-style-type: none"> <li>- who has no experience of operating the machine</li> <li>- who conducts data and function settings of the machine</li> </ul>	→	<ul style="list-style-type: none"> <li>- To enable trainees to understand the terms necessary for operating the machine and to process products by calling up the data set in the machine</li> <li>- To enable trainees to create the data and set the data and functions for operating the machine</li> </ul>
Maintenance 1	<ul style="list-style-type: none"> <li>- who has already completed the "Operation" course (or has equivalent operation skills)</li> <li>- who conducts periodic maintenance of the machine</li> </ul>	→	<ul style="list-style-type: none"> <li>To enable trainees to safely and precisely perform the periodic maintenance and consumable parts replacement described in the Maintenance Manual of the machine</li> </ul>
Maintenance 2	<ul style="list-style-type: none"> <li>- who has already completed the "Maintenance 1" course (or has equivalent maintenance skills)</li> <li>- who conducts maintenance works which are not described in the Maintenance Manual of the machine</li> </ul>	→	<ul style="list-style-type: none"> <li>To enable trainees to conduct maintenance works which are not described in the machine Maintenance Manual (only the items that can be executed without any special tools or access to the internal Maker Data)</li> </ul>